



Made
in Italy



Eco
Friendly

KREATEK

BEVERAGE DISPENSERS FOR PROFESSIONALS



ENGLISH



MORE FLAVOR IN ONE TOUCH!

Kreatek srl presents the revolutionary generation of automatic cold drink dispensers with a design modern and elegant and with a highly hearted technological Made in Italy.

MADE IN ITALY

Kreatek is a 100% Italian company, present on the HO.RE.CA. market for more than 10 years, which always has dedicated particular attention to the BREAKFAST sector and to all its critical issues.

INNOVATION, EFFICIENCY AND QUALITY.

The experience of the Kreatek team brought the new generation of "KIKA, KEILA & KEEN JUICE" dispensers: our patent for dispensing juice and cold natural/sparkling microfiltered water from a single dispenser. ideal for various uses from the hotel breakfast, to the bars, up to the domestic context.

Our "Regular Mix" system is capable to mix and enhance all types of juice concentrated based, even at a high percentage of fruit and pulp/cells, ensuring also maintaining constant temperatures under high stress of use.

K-JUICE: quality of delivery and decrease in maintenance interventions, make our products the ideal solution.



KEILA

juice

KREATEK | **SESE**
ITALIAN QUALITY DISPENSING SYSTEMS

CODE	DESCRIPTION
SV265/K	Overcounter Keila Juice 4 juices + 2 waters (natural and sparkling)



Tipologia / Type	Overcounter
Materiale / Material	Stainless steel + Abs
Potenza / Power	1/3 HP
Capacità refrigerante / Cooling power	342W
Potenza assorbita / Absorbed power	344W
Tensione e frequenza / Voltage	220-240V - 50/60Hz
Litri erogati / Dispensed litres	60 LT/H
Gas refrigerante / Refrigerant gas	R290
Temperatura bevanda / Beverage temp.	4/6°C
Velocità erogazione / Dispensing speed	2L/Min.
Vie erogazione succhi / Juice ways	4
Vie erogazione acqua / Water ways	2
Capacità carbonatore / Carbonator capacity	0,80 LT
Pompa carbonazione / Carbonator pump	100 LT/H
Tipologia raffreddamento / Cooling type	Continuous
Misure / Dimensions	H700xL380xP620mm
Peso / Weight	63 Kg



Eco
Friendly

CODE	DESCRIPTION
SV264/K	Overcounter Keen Juice 4 juices

KEEN

juice



Tipologia / <i>Type</i>	Overcounter
Materiale / <i>Material</i>	Stainless steel + Abs
Potenza / <i>Power</i>	1/3 HP
Capacità refrigerante / <i>Cooling power</i>	342W
Potenza assorbita / <i>Absorbed power</i>	344W
Tensione e frequenza / <i>Voltage</i>	220-240V - 50/60Hz
Litri erogati / <i>Dispensed litres</i>	60 LT/H
Gas refrigerante / <i>Refrigerant gas</i>	R290
Temperatura bevanda / <i>Beverage temp.</i>	4/6°C
Velocità erogazione / <i>Dispensing speed</i>	2L/min.
Vie erogazione succhi / <i>Juice ways</i>	4
Vie erogazione acqua / <i>Water ways</i>	2
Capacità carbonatore / <i>Carbonator capacity</i>	0,80 LT
Pompa carbonazione / <i>Carbonator pump</i>	100 LT/H
Tipologia raffreddamento / <i>Cooling type</i>	Continuous
Misure / <i>Dimensions</i>	H700xL380xP685mm
Peso / <i>Weight</i>	61 Kg



Made
in Italy

KIKA easy

KREATEK | **ENSE**
ITALIAN QUALITY DISPENSING SYSTEMS

CODE	DESCRIPTION
SV262/K	Overcounter Kika Easy 2 juices



Tipologia / Type	Overcounter
Materiale / Material	Stainless steel + Abs
Potenza / Power	1/10 HP
Capacità refrigerante / Cooling power	233W
Potenza assorbita / Absorbed power	130W
Tensione e frequenza / Voltage	220-240V - 50/60Hz
Litri erogati / Dispensed litres	20 LT/H
Gas refrigerante / Refrigerant gas	R290
Temperatura bevanda / Beverage temp.	4/6°C
Velocità erogazione / Dispensing speed	2L/min.
Vie erogazione succhi / Juice ways	2
Vie erogazione acqua / Water ways	---
Capacità carbonatore / Carbonator capacity	---
Pompa carbonazione / Carbonator pump	---
Tipologia raffreddamento / Cooling type	Continuous
Misure / Dimensions	H615xL300xP635mm
Peso / Weight	40 Kg



Eco
Friendly

KIKA plus

CODE	DESCRIPTION
SV263/K	Overcounter Kika Plus 2 juices + 2 waters (natural and sparkling)



Tipologia / Type	Overcounter
Materiale / Material	Stainless steel + Abs
Potenza / Power	1/10 HP
Capacità refrigerante / Cooling power	233W
Potenza assorbita / Absorbed power	130W
Tensione e frequenza / Voltage	220-240V - 50/60Hz
Litri erogati / Dispensed litres	20 LT/H
Gas refrigerante / Refrigerant gas	R290
Temperatura bevanda / Beverage temp.	4/6°C
Velocità erogazione / Dispensing speed	2L/min.
Vie erogazione succhi / Juice ways	2
Vie erogazione acqua / Water ways	2
Capacità carbonatore / Carbonator capacity	0,80 LT
Pompa carbonazione / Carbonator pump	100 LT/H
Tipologia raffreddamento / Cooling type	Continuous
Misure / Dimensions	H615xL300xP635mm
Peso / Weight	40 Kg



Made
in Italy



Made
in Italy



Eco
Friendly

KREATEK

Offices

Strada Torino 43, Orbassano (TO), 10043 IT
Tel. +39 011.9968855 - info@kreateksrl.it

KREATEKSRL.IT

-

Manufacturing plant

at Savese S.r.l.

Via Savona 9, Rivalta di Torino (TO), 10040 IT
Tel. +39 011.9005695 - customercare@savesestore.com

SAVESESTORE.COM

design by

SAVESE
ITALIAN QUALITY DISPENSING SYSTEMS